

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	519	717/124.ccls.	USPAT	OR	OFF	2007/04/18 12:51
S2	319	717/128.ccls.	USPAT	OR	OFF	2007/04/18 12:51
S3	201	717/129.ccls.	USPAT	OR	OFF	2007/04/18 13:46
S4	12	("5321828" "5555783" "5935006" "6023727" "6067614" "6154857" "6167536" "6651243" "6658416" "6658557" "6658651" "6662313"). pn.	USPAT	OR	OFF	2007/04/18 14:01
S5	17	(embed\$4 or "on-board" or soc) near3 (debug\$4 or trace or tracing or monitor\$3) same (rom or eprom or eeprom or dsp or (constrained near3 device)) and (breakpoint\$3 or (break\$3 near2 point\$3)) and (switch or flag\$4 or bit or "flip flop" or flipflop or enabl\$4 or disabl\$4 or (hardware near2 interrupt\$3))	USPAT	OR	OFF	2007/04/18 16:01
S6	15	(embed\$4 or "on-board" or soc) near3 (debug\$4 or trace or tracing or monitor\$3 or ice) same (rom or eprom or eeprom or dsp or (constrained near3 device)) and (length or size or number or distance or offset or relative) and (interrupt\$3 or trap\$4) and (current or next or following or previous or prior or successive) and (boot\$3 or bios)	USPAT	OR	OFF	2007/04/18 14:35
S7	10	S6 not S5	USPAT	OR	OFF	2007/04/18 14:34
S8	39	(embed\$4 or "on-board" or soc) near3 (debug\$4 or trace or tracing or monitor\$3) same (rom or eprom or eeprom or dsp or (constrained near3 device)) and (breakpoint\$3 or (break\$3 near2 point\$3)) and (switch or flag\$4 or bit or "flip flop" or flipflop or enabl\$4 or disabl\$4 or (hardware near2 interrupt\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:36

EAST Search History

S9	26	(embed\$4 or "on-board" or soc) near3 (debug\$4 or trace or tracing or monitor\$3 or ice) same (rom or eeprom or eeprom or dsp or (constrained near3 device)) and (length or size or number or distance or offset or relative) and (interrupt\$3 or trap\$4) and (current or next or following or previous or prior or successive) and (boot\$3 or bios)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 14:36
S10	53	S8 or S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 15:56
S11	1012	(determin\$3 or calculat\$3) near3 ((length or size or distance) near3 instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 15:58
S12	394	(determin\$3 or calculat\$3) near3 ((length or size or distance) near3 instruction) and (current and next) near3 instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 15:59
S13	321	(determin\$3 or calculat\$3) near3 ((length or size or distance) near3 instruction) and (current and next) near3 instruction and start\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 15:59
S14	225	(determin\$3 or calculat\$3) near3 ((length or size or distance) near3 instruction) and (current and next) near3 instruction and start\$3 and (interrupt\$3 or trap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:00

EAST Search History

S15	1	(determin\$3 or calculat\$3) near2 ((length or size or distance) near2 instruction) and (current and next) near3 instruction and start\$3 and (interrupt\$3 or trap\$4) and (embed\$4 or "on-board" or soc) near3 (debug\$4 or trace or tracing or monitor\$3 or snoop\$3 or prob\$3) same (rom or eeprom or eeprom or dsp or (constrained near3 device)) and (breakpoint\$3 or (break\$3 near2 point\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:03
S16	1	(determin\$3 or calculat\$3) near2 ((length or size or distance) near2 instruction) and (current and next) near3 instruction and start\$3 and (interrupt\$3 or trap\$4) and (embed\$4 or "on-board" or soc or "on-chip") near3 (debug\$4 or trace or tracing or monitor\$3 or snoop\$3 or prob\$3) same (rom or eeprom or eeprom or dsp or (constrained near3 device)) and (breakpoint\$3 or (break\$3 near2 point\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:02
S17	1	(determin\$3 or calculat\$3) near2 ((length or size or distance) near2 instruction) and (current and next) near3 instruction and start\$3 and (interrupt\$3 or trap\$4) and (embed\$4 or "on-board" or soc) near3 (debug\$4 or trace or tracing or monitor\$3 or snoop\$3 or prob\$3) same (rom or eeprom or eeprom or dsp or (constrained near3 device) or "read only")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:04
S18	13	(determin\$3 or calculat\$3) near2 ((length or size or distance) near2 instruction) and (current and next) near3 instruction and start\$3 and (interrupt\$3 or trap\$4) and (embed\$4 or "on-board" or soc) and (debug\$4 or trace or tracing or monitor\$3 or snoop\$3 or prob\$3) same (rom or eeprom or eeprom or dsp or (constrained near3 device) or "read only")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:04

EAST Search History

S19	32	(determin\$3 or calculat\$3) near2 ((length or size or distance) near2 instruction) and (current and next) near3 instruction and start\$3 and (interrupt\$3 or trap\$4) and (embed\$4 or "on-board" or soc) and (debug\$4 or trace or tracing or monitor\$3 or snoop\$3 or prob\$3) and (rom or eprom or eeprom or dsp or (constrained near3 device) or"read only")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:04
S20	32	S18 or S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:31
S21	1930	714/25.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:35
S22	216	714/28.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:35
S23	957	714/30.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:35
S24	301	714/34.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:35

EAST Search History

S25	275	714/35.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:35
S26	3	S21 and (embed\$4 or "on-board" or soc) near3 (debug\$4 or trace or tracing or monitor\$3) same (rom or eprom or eeprom or dsp or (constrained near3 device)) and (breakpoint\$3 or (break\$3 near2 point\$3)) and (switch or flag\$4 or bit or "flip flop" or flipflop or enabl\$4 or disabl\$4 or (hardware near2 interrupt\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:36
S27	0	S22 and (embed\$4 or "on-board" or soc) near3 (debug\$4 or trace or tracing or monitor\$3) same (rom or eprom or eeprom or dsp or (constrained near3 device)) and (breakpoint\$3 or (break\$3 near2 point\$3)) and (switch or flag\$4 or bit or "flip flop" or flipflop or enabl\$4 or disabl\$4 or (hardware near2 interrupt\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:36
S28	5	S23 and (embed\$4 or "on-board" or soc) near3 (debug\$4 or trace or tracing or monitor\$3) same (rom or eprom or eeprom or dsp or (constrained near3 device)) and (breakpoint\$3 or (break\$3 near2 point\$3)) and (switch or flag\$4 or bit or "flip flop" or flipflop or enabl\$4 or disabl\$4 or (hardware near2 interrupt\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:36
S29	2	S24 and (embed\$4 or "on-board" or soc) near3 (debug\$4 or trace or tracing or monitor\$3) same (rom or eprom or eeprom or dsp or (constrained near3 device)) and (breakpoint\$3 or (break\$3 near2 point\$3)) and (switch or flag\$4 or bit or "flip flop" or flipflop or enabl\$4 or disabl\$4 or (hardware near2 interrupt\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:36

EAST Search History

S30	1	S25 and (embed\$4 or "on-board" or soc) near3 (debug\$4 or trace or tracing or monitor\$3) same (rom or eprom or eeprom or dsp or (constrained near3 device)) and (breakpoint\$3 or (break\$3 near2 point\$3)) and (switch or flag\$4 or bit or "flip flop" or flipflop or enabl\$4 or disabl\$4 or (hardware near2 interrupt\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 17:11
S31	15444	("on Chip Instrumentation" or oci)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 17:12
S32	62	"background debug mode"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 17:13
S33	0	S11 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 17:13
S34	0	"background debug mode" and rom and boot\$3 and ((current and next) adj instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 17:14
S35	38	"background debug mode" and rom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 17:14
S36	0	(ocla or "on chip logic") and ROM	USPAT	OR	OFF	2007/04/26 09:25
S37	255	(length or width or size or number) near3 "current instruction" and (start or next)	USPAT	OR	OFF	2007/04/26 09:26

EAST Search History

S38	43	(watchpoint or breakpoint or debug\$4 or analuz\$3 or trap\$4 or monitor\$3 or prob\$3 or test\$3 or validat\$3 or verify\$3 or verification) same ((length or width or size or number) near3 "current instruction") and (start or next)	USPAT	OR	OFF	2007/04/26 09:55
S39	29	(watchpoint or breakpoint or debug\$4 or analyz\$3 or trap\$4 or monitor\$3 or prob\$3 or test\$3 or validat\$3 or verify\$3 or verification or trace or tracing) same (variable or vliw) near5 (alignment or boundar\$3 or align\$3) and ((distance or length or width or size or number) near3 current) and (start or next)	USPAT	OR	OFF	2007/04/26 09:58
S40	28	S39 not S38	USPAT	OR	OFF	2007/04/26 09:58
S41	4	"6384360".pn. "6694489".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:36
S42	2	(debugger near5 (embedded or onboard)) near5 ("read only " or ROM or persistent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:39
S43	13	(debug\$3 near5 (embedded or onboard or within)) near5 ("read only " or ROM or persistent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:47
S44	2	"5740351".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:48

EAST Search History

S45	92	(embed\$4 or "on-board") near3 (debug\$4 or disassembl\$3 or trace or tracing or monitor\$3) same (rom or eprom or eeprom or dsp or (constrained near3 device)) and (enabl\$4 or disabl\$4 or dormant or daemon or tsp or (temporary near2 resident))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 07:58
S46	12	(embed\$4 or "on-board") near3 (debug\$4 or disassembl\$3 or trace or tracing or monitor\$3) same (rom or eprom or eeprom or dsp or (constrained near3 device)) and (enabl\$4 or disabl\$4 or dormant or daemon or tsp or (temporary near2 resident)) and (executable or microcode or instruction) same (instrument\$5 or hook\$3 or prob\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 08:07
S47	72	(embed\$4 or "on-board") near3 (rom or eprom or eeprom or dsp or (constrained near3 device)) and (debug\$4 or disassembl\$3 or trace or tracing or monitor\$3) same (enabl\$4 or disabl\$4 or dormant or daemon or tsp or (temporary near2 resident)) and (executable or microcode or instruction) same (instrument\$5 or hook\$3 or prob\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 08:00
S48	2	"20050081196"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 08:08
S49	2	"20020065646"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 09:42
S50	2	"6834360".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 09:43